

Price List 2020 (in euro €)



BEE - Building Energy Efficiency

BEE The Heat Recovery System

CODE	MODEL	DESCRIPTION	PRICE
HR4006I00II	BEE 600	Heat Recovery System 600 mm	700
HR4013I00II	BEE 1300	Heat Recovery System 1300 mm	900
GB0757II		Inspection cap for heat recovery system	30



"2.0" Two Ducts Zero Outdoor Units

"2.0" the airconditioning monobloc without outdoor condensing unit

CODE	MODEL	DESCRIPTION	PRICE
CZMO08IB2II	"2.0" 8 HP	Monobloc aircon without outdoor condensing unit - ON/OFF	1 650
CZMO10IC3II	"2.0" 10 HP DC Inverter	Monobloc aircon without outdoor condensing unit - DC INVERTER DUAL POWER with APP	2 000
CZMO12IC3II	"2.0" 12 HP DC Inverter	Monobloc aircon without outdoor condensing unit - DC INVERTER DUAL POWER with APP	2 150
CZMR12IC3II	"2.0" 12 HP DC Inverter Elec	Monobloc aircon without outdoor condensing unit - Suppl. Electrical heater DC INVERTER DUAL POWER with APP	2 350

"2.0" Accessories

CODE	DESCRIPTION	PRICE
ECA031II	Wall mounting SMART TOUCH remote control, black colour	160
ECB031II	Wall mounting SMART TOUCH remote control, white colour	160
GB0738II	Kit n. 2 standard fixed outdoor grills	60
GB0739II	Kit n. 2 rain protections (to be fixed above outdoor grills)	100
GB0737II	Cover for lower side of "2.0" (in case of high wall installation)	50
GB0671II	Pre-installation set	60
GB0755II	Anti insect kit	50
GB0740II	Glass wall mounting kt	180
GR0765II	Fresh air kit	650
L00771II	angular air outlet kit	650
L00772II	angular air outlet kit	650
COVA00102II	3.0	700



2.0 H2O Water to Air Console

"2.0 H2O" the "water to air" monobloc aircon

CODE	MODEL	DESCRIPTION	PRICE
CZMW15IC3II	"2.0" H2O 15 HP DC Inverter	Monobloc water to air aircon - DC INVERTER DUAL POWER	2 700

"2.0 H2O" Accessories

CODE	DESCRIPTION	PRICE
ECA031II	Wall mounting SMART TOUCH remote control, black colour	160
ECB031II	Wall mounting SMART TOUCH remote control, white colour	160
GB1018II	Water source modulating valve kit	380
GB0737II	Cover for lower side of "2.0" (in case of high wall installation)	50
GB0742II	Special kit for installation on the floor	180
GR0765II	Fresh air kit to renew indor air on ling rooms	650
COVA00102II	3.0 Condensate Nebulizer to eliminate, with "2.0", the need of drain pipe in winter mode.	700



"2.0" Vertical, two Ducts Zero Outdoor Units

"2.0" the airconditioning monobloc without outdoor condensing unit

CODE	MODEL	DESCRIPTION	PRICE
COMV10IC3II	"2.0" Vert 10 HP DC Inverter	Monobloc vertical aircon without outdoor condensing unit - DC INVERTER DUAL POWER with APP	2 500
COMV12IC3II	"2.0" Vert 12 HP DC Inverter	Monobloc vertical aircon without outdoor condensing unit - DC INVERTER DUAL POWER with APP	2 700

"2.0 Vertical" accessories

CODE	DESCRIPTION	PRICE
ECA031II	Wall mounting SMART TOUCH remote control, black colour	160
ECB031II	Wall mounting SMART TOUCH remote control, white colour	160
GB0738II	Kit n. 2 standard fixed outdoor grills	60
GB0739II	Kit n. 2 rain protections (to be fixed above outdoor grills)	100
GB0755II	Anti insect kit	50
COVA00102II	3.0 Condensate Nebulizer to eliminate, with "2.0", the need of drain pipe in winter mode.	700



"2.0 FCU" without outdoor condensing unit, with integrated convector

CODE	MODEL	DESCRIPTION	PRICE
CZFB08IB2II	"2.0" 8 HP	Monobloc aircon without outdoor condensing unit to be coupled with FCU	1 650
CZFB10IC3II	"2.0" 10 HP DC Inverter	Monobloc aircon without outdoor condensing unit to be coupled with FCU with APP	2 000
CZFB12IC3II	"2.0" 12 HP DC Inverter	Monobloc aircon without outdoor condensing unit to be coupled with FCU with APP	2 150
CZFC04IC2II	FCU	Convector to be integrated to any of "2.0" shown above	900

"2.0 FCU" Accessories


CODE	DESCRIPTION		PRICE
ECA031II		Wall mounting SMART TOUCH remote control, black colour	160
ECB031II		Wall mounting SMART TOUCH remote control, white colour	160
GB0738II		Kit n. 2 standard fixed outdoor grills	60
GB0739II		Kit n. 2 rain protections (to be fixed above outdoor grills)	100
GB0755II	Anti insect kit	Auxiliary kit for protection avoid insect intake	50
COVA00102II	3.0	Condensate Nebulizer to eliminate, with "2.0", the need of drain pipe in winter mode.	700

FiloTerra DC Inverter, the trench installation fancoil




FAWF04DC1II-0I00	SLF 400	Floor installation fancoil with electronic modulating control onboard to be connected to remote wall control EDA649II	540
FAWF04DC1II-0L00	SLF 400	Floor installation fancoil with electronic control onboard to be connected to standard 4 speed wall thermostats	540
FAWF04DC1II-0J00	SLF 400	Floor installation fancoil with electronic control onboard for 0-10 V connection	540
FAWF06DC1II-0I00	SLF 600	Floor installation fancoil with electronic modulating control onboard to be connected to remote wall control EDA649II	600
FAWF06DC1II-0L00	SLF 600	Floor installation fancoil with electronic control onboard to be connected to standard 4 speed wall thermostats	600
FAWF06DC1II-0J00	SLF 600	Floor installation fancoil with electronic control onboard for 0-10 V connection	600
FAWF08DC1II-0I00	SLF 800	Floor installation fancoil with electronic modulating control onboard to be connected to remote wall control EDA649II	680
FAWF08DC1II-0L00	SLF 800	Floor installation fancoil with electronic control onboard to be connected to standard 4 speed wall thermostats	680
FAWF08DC1II-0J00	SLF 800	Floor installation fancoil with electronic control onboard for 0-10 V connection	680

Metal casing for FiloTerra fancoils



CODE	DESCRIPTION	PRICE
L00749II	Sheet metal casing for SLF 400 units	120
L00750II	Sheet metal casing for SLF 600 units	130
L00751II	Sheet metal casing for SLF 800 units	160

Air flow vent grills



CODE	DESCRIPTION	PRICE
DR0752II	Walkable air flow vent aluminum grill floor mounted version for SLF 400 units	400
DR0753II	Walkable air flow vent aluminum grill floor mounted version for SLF 600 units	500
DR0754II	Walkable air flow vent aluminum grill floor mounted version for SLF 800 units	600

Hydraulic groups

CODE	DESCRIPTION	PRICE
V20661II	2 way valve group (water inlet valve, shut off valve and electro thermal motor) for SLS and SLF models(*)	200
V30662II	3 way valve group (water inlet valve, shut off valve and electro thermal motor) for SLS and SLF models (*)	215
I20705II	2 way valve group with manual closure (*)	65
AI0200II	Couple of EUROKONUS adapters for 1\2" female connection (male fittings)	18
AI0201II	Couple of EUROKONUS adapters for 3/4" female connection (male fittings)	18
AI0203II	90° bended EUROKONUS connector	20
AI0501II	Distancer kit (1 piece)	20
AI0612II	Adaptors for flat ring	10

(*) Accessories that can be factory mounted without any extra cost

Filomuro DC Inverter, the high wall fancoil



FAWS04DC1II-OQ00	SLW 400	High Wall fancoil with electronic onboard touchpad and remote control	630
FAWS04DC1II-OP00	SLW 400	High Wall fancoil with electronic modulating control onboard to be connected to remote wall control EDA649II	630
FAWS04DC1II-OT00	SLW 400	High Wall fancoil with electronic control onboard to be connected to standard 4 speed wall thermostats	630
FAWS04DC1II-OV00	SLW 400	High Wall fancoil with electronic control onboard for 0-10 V connection	630
FAWS06DC1II-OQ00	SLW 600	High Wall fancoil with electronic onboard touchpad and remote control	700
FAWS06DC1II-OP00	SLW 600	High Wall fancoil with electronic modulating control onboard to be connected to remote wall control EDA649II	700
FAWS06DC1II-OT00	SLW 600	High Wall fancoil with electronic control onboard to be connected to standard 4 speed wall thermostats	700
FAWS06DC1II-OV00	SLW 600	High Wall fancoil with electronic control onboard for 0-10 V connection	700
FAWS08DC1II-OQ00	SLW 800	High Wall fancoil with electronic onboard touchpad and remote control	780
FAWS08DC1II-OP00	SLW 800	High Wall fancoil with electronic modulating control onboard to be connected to remote wall control EDA649II	780
FAWS08DC1II-OT00	SLW 800	High Wall fancoil with electronic control onboard to be connected to standard 4 speed wall thermostats	780
FAWS08DC1II-OV00	SLW 800	High Wall fancoil with electronic control onboard for 0-10 V connection	780

Hydraulic groups

CODE	DESCRIPTION	PRICE
V20687II	2 way valve group (water inlet valve, shut off valve and electro thermal motor) for SLW models (*)	135
V30688II	3 way valve group (with inlet 3 way valve, shut off valve, and electro thermal motor) for SLW models (*)	165
I20686II	2 way valve group with manual closure for SLW models (*)	80
AI0200II	Couple of EUROKONUS adapters for 1\2" female connection (male fittings)	18
AI0201II	Couple of EUROKONUS adapters for 3/4" female connection (male fittings)	18
AI0203II	90° bended EUROKONUS connector	20
AI0501II	Distancer kit (1 piece)	20
AI0612II	Adaptors for flat ring	10

(*) Accessories that can be factory mounted without any extra cost, it is mandatory to install 2way or 3way valve

AirLeaf DC Inverter fancoils

Airleaf DC Inverter fancoils: SLI built in 2 pipes



CODE	MODEL	DESCRIPTION	PRICE
FASI02001II	SLI 200	Built in DC Inverter fancoil for horizontal and vertical installation	305
FASI04001II	SLI 400	Built in DC Inverter fancoil for horizontal and vertical installation	345
FASI06001II	SLI 600	Built in DC Inverter fancoil for horizontal and vertical installation	405
FASI08001II	SLI 800	Built in DC Inverter fancoil for horizontal and vertical installation	475
FASI10001II	SLI 1000	Built in DC Inverter fancoil for horizontal and vertical installation	525

- Prices are for products without accessories (control panel, valves, etc.).
- On demand, some accessories (see following paragraphs) can be factory mounted without any extra cost.
- For connections on the RIGHT (available on all models) do specify "R" as 7th digit upon ordering. Extra cost for code BB0646II (see below description) will be added.



Airleaf DC Inverter fancoils: SLI built in 4 pipes

CODE	MODEL	DESCRIPTION	PRICE
FA4I02001II	SLI 200 4 pipes	Built in DC Inverter fancoil for horizontal and vertical installation for 4 pipe application with double coil	430
FA4I04001II	SLI 400 4 pipes	Built in DC Inverter fancoil for horizontal and vertical installation for 4 pipe application with double coil	480
FA4I06001II	SLI 600 4 pipes	Built in DC Inverter fancoil for horizontal and vertical installation for 4 pipe application with double coil	540
FA4I08001II	SLI 800 4 pipes	Built in DC Inverter fancoil for horizontal and vertical installation for 4 pipe application with double coil	650
FA4I10001II	SLI 1000 4 pipes	Built in DC Inverter fancoil for horizontal and vertical installation for 4 pipe application with double coil	705

- Prices are for products without accessories (control panel, valves, etc.).
- On demand, some accessories (see following paragraphs) can be factory mounted without any extra cost.
- For connections on the RIGHT (available on all models) do specify "R" as 7th digit upon ordering. Extra cost for code BB0646II (see below description) will be added.



Airleaf DC Inverter fancoils: RSI built in 2 pipes with FRONT RADIATING EFFECT

CODE	MODEL	DESCRIPTION	PRICE
FASS02S01II	RSI 200	Built in DC Inverter fancoil for vertical installation WITH FRONT RADIATING EFFECT	440
FASS04S01II	RSI 400	Built in DC Inverter fancoil for vertical installation WITH FRONT RADIATING EFFECT	520
FASS06S01II	RSI 600	Built in DC Inverter fancoil for vertical installation WITH FRONT RADIATING EFFECT	600
FASS08S01II	RSI 800	Built in DC Inverter fancoil for vertical installation WITH FRONT RADIATING EFFECT	700
FASS10S01II	RSI 1000	Built in DC Inverter fancoil for vertical installation WITH FRONT RADIATING EFFECT	790

- Prices are for products without accessories (control panel, valves, etc.).
- On demand, some accessories (see following paragraphs) can be factory mounted without any extra cost.
- For connections on the RIGHT (available on all models) do specify "R" as 7th digit upon ordering. Extra cost for code BB0646II (see below description) will be added.

Airleaf DC Inverter fancoils: SLSI (SHORT HEIGHT) built in 2 pipes



CODE	MODEL	DESCRIPTION	PRICE
FALI02S01II	SLSI 200	Built in DC Inverter, short height fancoil for vertical installation only	430
FALI04S01II	SLSI 400	Built in DC Inverter, short height fancoil for vertical installation only	470
FALI06S01II	SLSI 600	Built in DC Inverter, short height fancoil for vertical installation only	550
FALI08S01II	SLSI 800	Built in DC Inverter, short height fancoil for vertical installation only	630
FALI10S01II	SLSI 1000	Built in DC Inverter, short height fancoil for vertical installation only	705

- Prices are for products without accessories (control panel, valves, etc.).
- On demand, some accessories (see following paragraphs) can be factory mounted without any extra cost.
- For connections on the RIGHT (available on all models) do specify "R" as 7th digit upon ordering. Extra cost for code BB0646II (see below description) will be added.



Airleaf DC Inverter fancoils: SL 2 pipes

CODE	MODEL	DESCRIPTION	PRICE
FASL02SC1II	SL200C	DC Inverter fan coil unit with sheet metal cabinet (white colour)	430
FASL04SC1II	SL400C	DC Inverter fan coil unit with sheet metal cabinet (white colour)	475
FASL06SC1II	SL600C	DC Inverter fan coil unit with sheet metal cabinet (white colour)	555
FASL08SC1II	SL800C	DC Inverter fan coil unit with sheet metal cabinet (white colour)	660
FASL10SC1II	SL1000C	DC Inverter fan coil unit with sheet metal cabinet (white colour)	745

- Prices are for products without accessories (control panel, valves, etc.).
- On demand, some accessories (see following paragraphs) can be factory mounted without any extra cost.
- For connections on the RIGHT (available on all models) do specify "D" as 7th digit upon ordering. Extra cost for code BB0646II (see below description) will be added.
- For horizontal ceiling installation, the accessory "condensate collector tray" must be added.
- Other RAL colours: extra cost € 300,00 per manufacturing lot



Airleaf DC Inverter fancoils: SL 4 pipes

CODE	MODEL	DESCRIPTION	PRICE
FA4L02SC1II	SL 200 C 4 pipes	DC Inverter fan coil unit with sheet metal cabinet for 4 pipes application with double coil (white colour)	555
FA4L04SC1II	SL 400 C 4 pipes	DC Inverter fan coil unit with sheet metal cabinet for 4 pipes application with double coil (white colour)	625
FA4L06SC1II	SL 600 C 4 pipes	DC Inverter fan coil unit with sheet metal cabinet for 4 pipes application with double coil (white colour)	725
FA4L08SC1II	SL 800 C 4 pipes	DC Inverter fan coil unit with sheet metal cabinet for 4 pipes application with double coil (white colour)	855
FA4L10SC1II	SL 1000 C 4 pipes	DC Inverter fan coil unit with sheet metal cabinet for 4 pipes application with double coil (white colour)	925

- Prices are for products without accessories (control panel, valves, etc.).
- On demand, some accessories (see following paragraphs) can be factory mounted without any extra cost.
- For connections on the RIGHT (available on all models) do specify "D" as 7th digit upon ordering. Extra cost for code BB0646II (see below description) will be added.
- For horizontal ceiling installation, the accessory "condensate collector tray" must be added.
- Other RAL colours: extra cost € 300,00 per manufacturing lot



Airleaf DC Inverter fancoils: SL 2 pipes FULL FLAT

CODE	MODEL	DESCRIPTION	PRICE
FAFL02SC1II	SL 200 C FULL FLAT	DC Inverter fan coil unit with sheet metal cabinet and motorized FULL FLAT front suction panel (white colour)	495
FAFL04SC1II	SL 400 C FULL FLAT	DC Inverter fan coil unit with sheet metal cabinet and motorized FULL FLAT front suction panel (white colour)	540
FAFL06SC1II	SL 600 C FULL FLAT	DC Inverter fan coil unit with sheet metal cabinet and motorized FULL FLAT front suction panel (white colour)	605
FAFL08SC1II	SL 800 C FULL FLAT	DC Inverter fan coil unit with sheet metal cabinet and motorized FULL FLAT front suction panel (white colour)	725
FAFL10SC1II	SL 1000 C FULL FLAT	DC Inverter fan coil unit with sheet metal cabinet and motorized FULL FLAT front suction panel (white colour)	795

- Prices are for products without accessories (control panel, valves, etc.).
- On demand, some accessories (see following paragraphs) can be factory mounted without any extra cost.
- For connections on the RIGHT (available on all models) do specify "D" as 7th digit upon ordering. Extra cost for code BB0646II (see below description) will be added.
- Only VERTICAL (wall) installation is allowed.
- Other RAL colours: extra cost € 300,00 per manufacturing lot



Airleaf DC Inverter fancoils: SLS (reduced height) 2 pipes

CODE	MODEL	DESCRIPTION	PRICE
FALS02SC1II	SLS200C	DC Inverter reduced height fancoil (370 mm) with sheet metal cabinet (white colour) ONLY for vertical installation	435
FALS04SC1II	SLS400C	DC Inverter reduced height fancoil (370 mm) with sheet metal cabinet (white colour) ONLY for vertical installation	475
FALS06SC1II	SLS600C	DC Inverter reduced height fancoil (370 mm) with sheet metal cabinet (white colour) ONLY for vertical installation	555
FALS08SC1II	SLS800C	DC Inverter reduced height fancoil (370 mm) with sheet metal cabinet (white colour) ONLY for vertical installation	635
FALS10SC1II	SLS1000C	DC Inverter reduced height fancoil (370 mm) with sheet metal cabinet (white colour) ONLY for vertical installation	715

- Prices are for products without accessories (control panel, valves, etc.).
 - On demand, some accessories (see following paragraphs) can be factory mounted without any extra cost.
 - For connections on the RIGHT (available on all models) do specify "D" as 7th digit upon ordering. Extra cost for code BB0646II (see below description) will be added.
 - Only VERTICAL (wall) installation is allowed.
 - Other RAL colours: extra cost € 300,00 per manufacturing lot
-



Airleaf DC Inverter fancoils: RS 2 pipes with FRONT RADIATING EFFECT

CODE	MODEL	DESCRIPTION	PRICE
FARS02SC1II	AirLeaf RS 200 C	DC Inverter fan coil unit with sheet metal cabinet and FRONT RADIATING EFFECT (white colour)	580
FARS04SC1II	AirLeaf RS 400 C	DC Inverter fan coil unit with sheet metal cabinet and FRONT RADIATING EFFECT (white colour)	670
FARS06SC1II	AirLeaf RS 600 C	DC Inverter fan coil unit with sheet metal cabinet and FRONT RADIATING EFFECT (white colour)	755
FARS08SC1II	AirLeaf RS 800 C	DC Inverter fan coil unit with sheet metal cabinet and FRONT RADIATING EFFECT (white colour)	885
FARS10SC1II	AirLeaf RS 1000 C	DC Inverter fan coil unit with sheet metal cabinet and FRONT RADIATING EFFECT (white colour)	1 005

- Prices are for products without accessories (control panel, valves, etc.).
- On demand, some accessories (see following paragraphs) can be factory mounted without any extra cost.
- For connections on the RIGHT (available on all models) do specify "D" as 7th digit upon ordering. Extra cost for code BB0646II (see below description) will be added.
- Only VERTICAL (wall) installation is allowed.
- Other RAL colours: extra cost € 300,00 per manufacturing lot



Airleaf DC Inverter fancoils: RS 2 pipes FULL FLAT with FRONT RADIATING EFFECT


CODE	MODEL	DESCRIPTION	PRICE
FAFS02SC1II	AirLeaf RS 200 C FULL FLAT	DC Inverter fan coil unit with sheet metal cabinet, FRONT RADIATING EFFECT and motorized FULL FLAT front suction panel(white colour)	645
FAFS04SC1II	AirLeaf RS 400 C FULL FLAT	DC Inverter fan coil unit with sheet metal cabinet, FRONT RADIATING EFFECT and motorized FULL FLAT front suction panel(white colour)	735
FAFS06SC1II	AirLeaf RS 600 C FULL FLAT	DC Inverter fan coil unit with sheet metal cabinet, FRONT RADIATING EFFECT and motorized FULL FLAT front suction panel(white colour)	815
FAFS08SC1II	AirLeaf RS 800 C FULL FLAT	DC Inverter fan coil unit with sheet metal cabinet, FRONT RADIATING EFFECT and motorized FULL FLAT front suction panel(white colour)	965
FAFS10SC1II	AirLeaf RS 1000 C FULL FLAT	DC Inverter fan coil unit with sheet metal cabinet, FRONT RADIATING EFFECT and motorized FULL FLAT front suction panel(white colour)	1 055

- Prices are for products without accessories (control panel, valves, etc.).
- On demand, some accessories (see following paragraphs) can be factory mounted without any extra cost.
- For connections on the RIGHT (available on all models) do specify "D" as 7th digit upon ordering. Extra cost for code BB0646II (see below description) will be added.
- Only VERTICAL (wall) installation is allowed.
- Other RAL colours: extra cost € 300,00 per manufacturing lot

CONTROLLERS

ON BOARD CONTROLLERS

For external applications



2 pipes	EWf644II ECA644II
4 pipes	ECA647II EWf647II
2 pipes	E4T643II
4 pipes	
2 pipes	E2T543II



PI logic
Smart touch interface
Modulating speed





Smart touch interface with 4 speeds selection



Simple 4 speed controller

WALL MOUNTED CONTROLLERS

Available for all installations



EDA649II
EDB649II



PI logic
smart touch interface
Modulating speed
For control up to 30 units

ESE645II II
2 pipes

ESE648II I
4 pipes

EWG649II
EWw649II



Electro mechanical
Aalog interface
Wall mounted
3 speeds

2 pipes **B3V151II**





Electro mechanical
Digital interface
Concealed installation


B4V642II

2 pipes **B3V152II**





FANCOILS NETWORK



Accessories for Airleaf fancoils

Controls for DC Inverter motors

CODE

DESCRIPTION

PRICE

On board controls (2 pipes):



ECA644II	On board electronic control SMART TOUCH with PID full modulating fan and thermostat (*)	165
EWF644II	On board electronic control SMART TOUCH with PID full modulating fan, thermostat and WiFi module (*)	190
E4T643II	On board electronic control SMART TOUCH 4 speeds with thermostat(*)	130
E2T543II	On board electronic control 4 speeds with thermostat(*)	95

On board controls (4 pipes):



ECA647II	On board electronic control TOUCH LCD with PID full modulating fan and thermostat (*)	190
EWF647II	On board electronic control SMART TOUCH with PID full modulating fan, thermostat and WiFi module (*)	215
E4T643II	On board electronic control LCD 4 speeds with thermostat(*)	130

Wall remotated controls (2 pipes):



ESE645II	On board electronic control with PID full modulating fan for EDA649II-EDB649II-EWG649II-EWW649II wall mounted panel (*)	130
EDA649II	SMART LCD wall controller with temperature probe (to be coupled with max 31 ESE645), black casing	130
EDB649II	SMART LCD wall controller with temperature probe (to be coupled with max 31 ESE645), white casing	130
EWG649II	SMART LCD wall controller with temp. probe (to be coupled with max 31 ESE645) and WiFi module, black casing	160
EWW649II	SMART LCD wall controller with temp. probe (to be coupled with max 31 ESE645) and WiFi module, white casing	160
EF1027II	Electronic board to connect different terminals (i.e. towel warmers, radiant panels) to wall controls EDA649II-EDB649II-EWG649II-EWW649II (*)	90

Wall remotated controls (4 pipes):

ESE648II	On board electronic control with PID full modulating fan for EDA649II-EDB649II-EWG649II-EWW649II wall mounted panel (*)	170
EDA649II	SMART LCD wall controller with temperature probe (to be coupled with max 31 ESE648), black casing	130
EDB649II	SMART LCD wall controller with temperature probe (to be coupled with max 31 ESE648), white casing	130
EWG649II	SMART LCD wall controller with temp. probe (to be coupled with max 31 ESE648) and WiFi module, black casing	160
EWW649II	SMART LCD wall controller with temp. probe (to be coupled with max 31 ESE648) and WiFi module, white casing	160



B4V642II	Electronic on board control for connection with standard 3 speed wall thermostats, for 2 and 4 pipes (*)	90
B10642II	Electronic on board control with analogic connections 0-10V, for 2 and 4 pipes (*)	90
B3V137II	On board 4 speeds control switch to be combine with standard thermostats (*)	85



Wall mounted thermostats with 4 speeds switch:

B3V151II	Wall mounted control with thermostat, summer/winter and speed selectors, to be coupled with B4V642II- for 2 pipes	150
----------	---	-----



B3V152II	Concealed control with thermostat, summer/winter and speed selectors, to be coupled with B4V642II- for 2 pipes	190
----------	--	-----

Network PCBs:

ESW544II	Electronic box for remote control and Innova fancoils networks (building automation by WEB server)	650
----------	--	-----

ESD659II	Electronic on board PCB without display to be connect on RS485 fancoil networks with web server ESW544	140
----------	--	-----

ESD660II	Kit Bridge MODBUS - RTU for ECA644II, ECA647II, ESD659II, for web server ESW544 network connections	40
----------	---	----

BB0646II	Motor connection cable to shift water connections from left to right (*)	25
----------	--	----

(*) Accessories that can be factory mounted without any extra cost

Hydraulic groups

CODE	DESCRIPTION	PRICE
V20139II	2 way valve group (water inlet valve, shut off valve and electro thermal motor) (*)	125
V20661II	2 way valve group (water inlet valve, shut off valve and electro thermal motor) for SLS models (*)	200
V30361II	3 way valve group (with inlet 3 way valve, shut off valve, and electro thermal motor (*)	155
V30662II	3 way valve group (water inlet valve, shut off valve and electro thermal motor) for SLS models (*)	215
I20205II	2 way valve group with manual closure (*)	55
I20705II	2 way valve group with manual closure for SLS models (*)	65
V40219II	2 way hydraulic group for 4 pipe system (*)	290
V60221II	3 way hydraulic group for 4 pipe system (*)	400
AI0200II	Couple of EUROKONUS adapters for 1\2" female connection (male fittings)	18
AI0201II	Couple of EUROKONUS adapters for 3/4" female connection (male fittings)	18
AI0203II	90° bended EUROKONUS connector	20
AI0501II	Distancer kit (1 piece)	20
AI0612II	Adaptors for flat ring	10

(*) Accessories that can be factory mounted without any extra cost


Special accessories for installation

Cover feet



CODE	DESCRIPTION	PRICE
LC0157II	Sheet metal feet to cover pipes from the floor (white colour)	40

Floor fixing feet



CODE	DESCRIPTION	PRICE
LC0605II	Sheet metal feet to fix FCU to the floor (white colour)	70


Condensate collector tray for horizontal installation, SL models




CODE	DESCRIPTION	PRICE
GB0520II	Condensate collector tray for SL 200 (2 and 4 pipe version) for ceiling installation (*)	45
GB0521II	Condensate collector tray for SL 400 (2 and 4 pipe version) for ceiling installation (*)	50
GB0522II	Condensate collector tray for SL 600 (2 and 4 pipe version) for ceiling installation (*)	55
GB0523II	Condensate collector tray for SL 800 (2 and 4 pipe version) for ceiling installation (*)	70
GB0524II	Condensate collector tray for SL 1000 (2 and 4 pipe version) for ceiling installation (*)	75

(*) Accessories that can be factory mounted without any extra cost

Aesthetic back metal panel



CODE	DESCRIPTION	PRICE
LC0171II	Sheet metal white colour back panel for SL 200 (2 pipe unit)	100
LC0173II	Sheet metal white colour back panel for SL 400 (2 pipe unit)	105
LC0175II	Sheet metal white colour back panel for SL 600 (2 pipe unit)	120
LC0177II	Sheet metal white colour back panel for SL 800 (2 pipe unit)	130
LC0179II	Sheet metal white colour back panel for SL 1000 (2 pipe unit)	140
LC0665II	Sheet metal white colour back panel for SLS 200 only	130
LC0666II	Sheet metal white colour back panel for SLS 400 only	135
LC0667II	Sheet metal white colour back panel for SLS 600 only	150
LC0668II	Sheet metal white colour back panel for SLS 800 only	160
LC0669II	Sheet metal white colour back panel for SLS 1000 only	170
LC0181II	Sheet metal white colour back panel for SL 200 (4 pipe unit)	115
LC0183II	Sheet metal white colour back panel for SL 400 (4 pipe unit)	120
LC0185II	Sheet metal white colour back panel for SL 600 (4 pipe unit)	150
LB0187II	Sheet metal white colour back panel for SL 800 (4 pipe unit)	160
LB0189II	Sheet metal white colour back panel for SL 1000 (4 pipe unit)	170



UV sterilizer

CODE

GB0545II
 GB0546II
 GB0547II
 GB0548II
 GB0549II


DESCRIPTION

UVC air sterilization device for 200 series fancoil units (*)
 UVC air sterilization device for 400 series fancoil units (*)
 UVC air sterilization device for 600 series fancoil units (*)
 UVC air sterilization device for 800 series fancoil units (*)
 UVC air sterilization device for 1000 series fancoil units (*)

PRICE

540
 570
 610
 890
 920

(*) Accessories that can be factory mounted without any extra cost



Curved air flow vent

CODE


DR0550II
 DR0551II
 DR0552II
 DR0553II
 DR0554II

DESCRIPTION

Air flow vent with aluminum curved profile for SLI 200 units
 Air flow vent with aluminum curved profile for SLI 400 units
 Air flow vent with aluminum curved profile for SLI 600 units
 Air flow vent with aluminum curved profile for SLI 800 units
 Air flow vent with aluminum curved profile for SLI 1000 units

PRICE

75
 85
 90
 100
 110



Curved air intake grill

CODE


DR0559II
 DR0560II
 DR0561II
 DR0562II
 DR0563II

DESCRIPTION

Air intake aluminum grill with curved profile for SLI 200 units
 Air intake aluminum grill with curved profile for SLI 400 units
 Air intake aluminum grill with curved profile for SLI 600 units
 Air intake aluminum grill with curved profile for SLI 800 units
 Air intake aluminum grill with curved profile for SLI 1000 units

PRICE

95
 105
 110
 120
 125



Metal casing

CODE

L00568II
 L00569II
 L00570II
 L00571II
 L00572II
 L00700II
 L00701II
 L00702II
 L00703II
 L00704II

DESCRIPTION

Sheet metal casing for SLI 200 units
 Sheet metal casing for SLI 400 units
 Sheet metal casing for SLI 600 units
 Sheet metal casing for SLI 800 units
 Sheet metal casing for SLI 1000 units
 Sheet metal casing for SLSI 200 units
 Sheet metal casing for SLSI 400 units
 Sheet metal casing for SLSI 600 units
 Sheet metal casing for SLSI 800 units
 Sheet metal casing for SLSI 1000 units

PRICE

95
 105
 115
 125
 135
 95
 110
 120
 130
 140



Casing cover

CODE

LC0578II

LC0579II

LC0580II

LC0581II

LC0582II

LC0692II

LC0693II

LC0694II

LC0695II

LC0696II

DESCRIPTION

Casing cover panel with intake air grill for SLI 200 units (white colour)

Casing cover panel with intake air grill for SLI 400 units (white colour)

Casing cover panel with intake air grill for SLI 600 units (white colour)

Casing cover panel with intake air grill for SLI 800 units (white colour)

Casing cover panel with intake air grill for SLI 1000 units (white colour)

Casing cover panel with intake air grill for SLSI 200 units (white colour)

Casing cover panel with intake air grill for SLSI 400 units (white colour)

Casing cover panel with intake air grill for SLSI 600 units (white colour)

Casing cover panel with intake air grill for SLSI 800 units (white colour)

Casing cover panel with intake air grill for SLSI 1000 units (white colour)

PRICE

200

225

250

280

310


230

255

280

310

350



Ceiling casing cover

CODE

LC0618II

LC0619II

LC0620II

LC0621II

LC0622II

DESCRIPTION

Ceiling casing cover panel with accessible air grill for SLI 200 units, horizontal installation (white colour) (*)

Ceiling casing cover panel with accessible air grill for SLI 400 units, horizontal installation (white colour) (*)

Ceiling casing cover panel with accessible air grill for SLI 600 units, horizontal installation (white colour) (*)

Ceiling casing cover panel with accessible air grill for SLI 800 units, horizontal installation (white colour) (*)

Ceiling casing cover panel with accessible air grill for SLI 1000 units, horizontal installation (white colour) (*)

PRICE

200

225

250

280

310

(*) To be foreseen, for installation, the use of a telescopic air flow duct and an air flow grill.